

SPEC SHEET



MARK V® ACCUMARK®

PRODUCT CODE	UPC	CALIBER	MSRP
MAM01N240WR6B	747115440122	.240 WBY. MAG.	\$1,999
MAM01N257WR8B	747115440160	.257 WBY. MAG.	\$1,999
MAM01N257WL8B	747115440252	(LH) .257 WBY. MAG	\$2,099
MAM01N65CMR6B	747115440139	6.5 CREEDMOOR	\$1,999
MAM01N65RWR6B	747115440146	6.5 WBY. RPM.	\$1,999
MAM01N653WR8B	747115440153	6.5-300 WBY. MAG.	\$1,999
MAM01N653WL8B	747115440269	(LH) 6.5-300 WBY. M	\$2,099
MAM01N270WR8B	747115440177	.270 WBY. MAG.	\$1,999
MAM01N7MMWR8B	747115440184	7MM WBY. MAG.	\$1,999
MAM01N300NR8B	747115440191	.300 WIN. MAG.	\$1,999
MAM01N300WR8B	747115440207	.300 WBY. MAG.	\$1,999
MAM01N300WL8B	747115440276	(LH) .300 WBY. MAG.	\$2,099
MAM01N303WR8B	747115440214	.303-378 WBY. MAG.	\$2,199
MAM01N303WL8B	747115440283	(LH) .30-378 WBY. M	\$2,199
MAM01N340WR8B	747115440238	.340 WBY. MAG.	\$1,999
MAM01N338LR8B	747115440221	.338 LAPUA MAG.	\$2,199
MAM01N333WR8B	747115440245	.338-378 WBY. MAG.	\$2,199
MAM01N333WL8B	747115440290	(LH) .338-378 WBY. MAG.	\$2,199

Weight (lbs)	Overall Length	Mag Capacity	Barrel Length & Contour	Barrel Thread Pitch	Action / Barrel OAL	Twist Rate	Length of Pull	Drop @ Comb	Monte Carlo	Drop @ Heel
7.3	46.25"	4+1	24" #3	5/8-24	RH 26"	1-10"	13.625"	.875"	.625"	1.75"
8.3	48.25"	3+1	26" #3	5/8-24	RH 28"	1-10"	13.625"	.875"	.625"	1.75"
8.3	48.25"	3+1	26" #3	5/8-24	LH 28"	1-10"	13.625"	.875"	.625"	1.75"
7.3	46.25"	4+1	24" #3	5/8-24	RH 26"	1-8"	13.625"	.875"	.625"	1.75"
7.3	46.25"	4+1	24" #3	5/8-24	RH 26"	1-8"	13.625"	.875"	.625"	1.75"
8.3	48.25"	3+1	26" #3	5/8-24	RH 28"	1-8"	13.625"	.875"	.625"	1.75"
8.3	48.25"	3+1	26" #3	5/8-24	LH 28"	1-8"	13.625"	.875"	.625"	1.75"
8.3	48.25"	3+1	26" #3	5/8-24	RH 28"	1-10"	13.625"	.875"	.625"	1.75"
8.3	48.25"	3+1	26" #3	5/8-24	RH 28"	1-10"	13.625"	.875"	.625"	1.75"
8.3	48.25"	3+1	26" #3	5/8-24	RH 28"	1-10"	13.625"	.875"	.625"	1.75"
8.3	48.25"	3+1	26" #3	5/8-24	LH 28"	1-10"	13.625"	.875"	.625"	1.75"
8.3	48.25"	2+1	26" #3	5/8-24	RH 28"	1-10"	13.625"	.875"	.625"	1.75"
8.3	48.25"	2+1	26" #3	5/8-24	LH 28"	1-10"	13.625"	.875"	.625"	1.75"
8.3	48.25"	3+1	26" #3	5/8-24	RH 28"	1-10"	13.625"	.875"	.625"	1.75"
8.3	48.25"	2+1	26" #3	5/8-24	RH 28"	1-9.3"	13.625"	.875"	.625"	1.75"
8.3	48.25"	2+1	26" #3	5/8-24	RH 28"	1-10"	13.625"	.875"	.625"	1.75"
8.3	48.25"	2+1	26" #3	5/8-24	RH 28"	1-10"	13.625"	.875"	.625"	1.75"

MARK V® ACCUMARK® PRO

PRODUCT CODE	UPC	CALIBER	MSRP
MAP01N240WR6B	747115440306	.240 WBY. MAG.	\$2,499
MAP01N257WR8B	747115440344	.257 WBY. MAG.	\$2,499
MAP01N257WL8B	747115440436	(LH) .257 WBY. MAG	\$2,599
MAP01N65CMR6B	747115440313	6.5 CREEDMOOR	\$2,499
MAP01N65RWR6B	747115440320	6.5 WBY. RPM.	\$2,499
MAP01N653WR8B	747115440337	6.5-300 WBY. MAG.	\$2,499
MAP01N653WL8B	747115440443	(LH) 6.5-300 WBY. M	\$2,599
MAP01N270WR8B	747115440351	.270 WBY. MAG.	\$2,499
MAP01N7MMWR8B	747115440368	7MM WBY. MAG.	\$2,499
MAP01N300NR8B	747115440375	.300 WIN. MAG.	\$2,499
MAP01N300WR8B	747115440382	.300 WBY. MAG.	\$2,499
MAP01N300WL8B	747115440450	(LH) .300 WBY. MAG.	\$2,599
MAP01N303WR8B	747115440399	.303-378 WBY. MAG.	\$2,699
MAP01N303WL8B	747115440467	(LH) .30-378 WBY. M	\$2,699
MAP01N340WR8B	747115440412	.340 WBY. MAG.	\$2,499
MAP01N338LR8B	747115440405	.338 LAPUA MAG.	\$2,699
MAP01N333WR8B	747115440429	.338-378 WBY. MAG.	\$2,699
MAP01N333WL8B	747115440474	(LH) .338-378 WBY.	\$2,699

Weight (lbs)	Overall Length	Mag Capacity	Barrel Length & Contour	Barrel Thread Pitch	Action / Barrel OAL	Twist Rate	Length of Pull	Drop @ Comb	Monte Carlo	Drop @ Heel
7.1	46.25"	4+1	24" #3	5/8-24	RH 26"	1-10"	13.5"	2"	N/A	.2"
7.9	48.25"	3+1	26" #3	5/8-24	RH 28"	1-10"	13.5"	2"	N/A	.2"
7.9	48.25"	3+1	26" #3	5/8-24	LH 28"	1-10"	13.5"	2"	N/A	.2"
7.1	46.25"	4+1	24" #3	5/8-24	RH 26"	1-8"	13.5"	2"	N/A	.2"
7.1	46.25"	4+1	24" #3	5/8-24	RH 26"	1-8"	13.5"	2"	N/A	.2"
7.9	48.25"	3+1	26" #3	5/8-24	RH 28"	1-8"	13.5"	2"	N/A	.2"
7.9	48.25"	3+1	26" #3	5/8-24	LH 28"	1-8"	13.5"	2"	N/A	.2"
7.9	48.25"	3+1	26" #3	5/8-24	RH 28"	1-10"	13.5"	2"	N/A	.2"
7.9	48.25"	3+1	26" #3	5/8-24	RH 28"	1-10"	13.5"	2"	N/A	.2"
7.9	48.25"	3+1	26" #3	5/8-24	RH 28"	1-10"	13.5"	2"	N/A	.2"
7.9	48.25"	3+1	26" #3	5/8-24	LH 28"	1-10"	13.5"	2"	N/A	.2"
7.9	48.25"	2+1	26" #3	5/8-24	RH 28"	1-10"	13.5"	2"	N/A	.2"
7.9	48.25"	2+1	26" #3	5/8-24	RH 28"	1-10"	13.5"	2"	N/A	.2"
7.9	48.25"	2+1	26" #3	5/8-24	RH 28"	1-9.3"	13.5"	2"	N/A	.2"
7.9	48.25"	2+1	26" #3	5/8-24	RH 28"	1-10"	13.5"	2"	N/A	.2"
7.9	48.25"	2+1	26" #3	5/8-24	RH 28"	1-10"	13.5"	2"	N/A	.2"

MARK V® ACCUMARK® ELITE

PRODUCT CODE	UPC	CALIBER	MSRP
MAE01N240WR6B	747115440481	.240 WBY. MAG.	\$2,799
MAE01N257WR8B	747115440528	.257 WBY. MAG.	\$2,799
MAE01N257WL8B	747115440610	(LH) .257 WBY. MAG	\$2,899
MAE01N65CMR6B	747115440498	6.5 CREEDMOOR	\$2,799
MAE01N65RWR6B	747115440504	6.5 WBY. RPM.	\$2,799
MAE01N653WR8B	747115440511	6.5-300 WBY. MAG.	\$2,799
MAE01N653WL8B	747115440627	(LH) 6.5-300 WBY. M	\$2,899
MAE01N270WR8B	747115440535	.270 WBY. MAG.	\$2,799
MAE01N7MMWR8B	747115440542	7MM WBY. MAG.	\$2,799
MAE01N300NR8B	747115440559	.300 WIN. MAG.	\$2,799
MAE01N300WR8B	747115440566	.300 WBY. MAG.	\$2,799
MAE01N300WL8B	747115440634	(LH) .300 WBY. MAG.	\$2,899
MAE01N303WR8B	747115440573	.303-378 WBY. MAG.	\$2,999
MAE01N303WL8B	747115440641	(LH) .30-378 WBY. M	\$2,999
MAE01N340WR8B	747115440597	.340 WBY. MAG.	\$2,899
MAE01N338LR8B	747115440580	.338 LAPUA MAG.	\$2,999
MAE01N333WR8B	747115440603	.338-378 WBY. MAG.	\$2,999
MAE01N333WL8B	747115440658	(LH) .338-378 WBY.	\$2,999

Weight (lbs)	Overall Length	Mag Capacity	Barrel Length & Contour	Barrel Thread Pitch	Action / Barrel OAL	Twist Rate	Length of Pull	Drop @ Comb	Monte Carlo	Drop @ Heel
7.6	46.25"	4+1	24" #3	5/8-24	RH 26"	1-10"	13.5"	2"	N/A	.2"
8.4	48.25"	3+1	26" #3	5/8-24	RH 28"	1-10"	13.5"	2"	N/A	.2"
8.4	48.25"	3+1	26" #3	5/8-24	LH 28"	1-10"	13.5"	2"	N/A	.2"
7.6	46.25"	4+1	24" #3	5/8-24	RH 26"	1-8"	13.5"	2"	N/A	.2"
7.6	46.25"	4+1	24" #3	5/8-24	RH 26"	1-8"	13.5"	2"	N/A	.2"
8.4	48.25"	3+1	26" #3	5/8-24	RH 28"	1-8"	13.5"	2"	N/A	.2"
8.4	48.25"	3+1	26" #3	5/8-24	LH 28"	1-8"	13.5"	2"	N/A	.2"
8.4	48.25"	3+1	26" #3	5/8-24	RH 28"	1-10"	13.5"	2"	N/A	.2"
8.4	48.25"	3+1	26" #3	5/8-24	RH 28"	1-10"	13.5"	2"	N/A	.2"
8.4	48.25"	3+1	26" #3	5/8-24	RH 28"	1-10"	13.5"	2"	N/A	.2"
8.4	48.25"	3+1	26" #3	5/8-24	LH 28"	1-10"	13.5"	2"	N/A	.2"
8.4	48.25"	2+1	26" #3	5/8-24	RH 28"	1-10"	13.5"	2"	N/A	.2"
8.4	48.25"	2+1	26" #3	5/8-24	RH 28"	1-10"	13.5"	2"	N/A	.2"
8.4	48.25"	2+1	26" #3	5/8-24	RH 28"	1-9.3"	13.5"	2"	N/A	.2"
8.4	48.25"	2+1	26" #3	5/8-24	RH 28"	1-10"	13.5"	2"	N/A	.2"
8.4	48.25"	2+1	26" #3	5/8-24	RH 28"	1-10"	13.5"	2"	N/A	.2"

MARK V® BACKCOUNTRY

PRODUCT CODE	UPC	CALIBER	MSRP
MBC0IN6MCMR4B	747115441433	6MM CREEDMOOR	\$2,499
MBC0IN240WR6B	747115441440	.240 WB. MAG.	\$2,499
MBC0IN257WR8B	747115441488	.257 WB. MAG.	\$2,499
MBC0IN257WL8B	747115441549	(LH) .257 WB. MAG.	\$2,599
MBC0IN65CMR4B	747115441457	6.5 CREEDMOOR	\$2,499
MBC0IN65RWR6B	747115441464	6.5 WB. RPM.	\$2,499
MBC0IN653WR8B	747115441501	6.5-300 WB. MAG.	\$2,499
MBC0IN653WL8B	747115441532	(LH) 6.5-300 WB. MAG.	\$2,599
MBC0IN270WR8B	747115441495	.270 WB. MAG.	\$2,499
MBC0IN280AR6B	747115441471	280 ACKLEY IMP.	\$2,499
MBC0IN7MMWR8B	747115441518	7MM WB. MAG.	\$2,499
MBC0IN300WR8B	747115441525	.300 WB. MAG.	\$2,499
MBC0IN300WL8B	747115441556	(LH) .300 WB. MAG.	\$2,599

Weight (lbs)	Overall Length	Mag Capacity	Barrel Length & Contour	Barrel Thread Pitch	Action / Barrel OAL	Twist Rate	Length of Pull	Drop @ Comb	Monte Carlo	Drop @ Heel
5.4	44.125"	4+1	22" #1 MOD	1/2-28	RH 24"	1-7.5"	13.5"	.625"	N/A	.325"
5.4	46.125"	5+1	24" #1 MOD	1/2-28	RH 26"	1-10"	13.5"	.625"	N/A	.325"
6.3	48.125"	3+1	26" #2 MOD	1/2-28	RH 28"	1-10"	13.5"	.625"	N/A	.325"
6.3	48.125"	4+1	26" #2 MOD	1/2-28	RH 28"	1-10"	13.5"	.625"	N/A	.325"
5.4	44.125"	4+1	22" #1 MOD	1/2-28	RH 24"	1-8"	13.5"	.625"	N/A	.325"
5.4	46.125"	4+1	24" #1 MOD	1/2-28	RH 26"	1-8"	13.5"	.625"	N/A	.325"
6.3	48.125"	3+1	26" #2 MOD	1/2-28	RH 28"	1-8"	13.5"	.625"	N/A	.325"
6.3	48.125"	3+1	26" #2 MOD	1/2-28	RH 28"	1-8"	13.5"	.625"	N/A	.325"
5.4	46.125"	4+1	24" #1 MOD	1/2-28	RH 26"	1-9"	13.5"	.625"	N/A	.325"
6.3	48.125"	3+1	26" #2 MOD	1/2-28	RH 28"	1-10"	13.5"	.625"	N/A	.325"
6.3	48.125"	3+1	26" #2 MOD	1/2-28	RH 28"	1-10"	13.5"	.625"	N/A	.325"
6.3	48.125"	3+1	26" #2 MOD	1/2-28	RH 28"	1-10"	13.5"	.625"	N/A	.325"

MARK V® BACKCOUNTRY T1

PRODUCT CODE	UPC	CALIBER	MSRP
MBT0IN6MCMR4B	747115441303	6MM CREEDMOOR	\$3,349
MBT0IN240WR6B	747115441310	.240 WB. MAG.	\$3,349
MBT0IN257WR8B	747115441358	.257 WB. MAG.	\$3,349
MBT0IN257WL8B	747115441419	(LH) .257 WB. MAG.	\$3,449
MBT0IN65CMR4B	747115441327	6.5 CREEDMOOR	\$3,349
MBT0IN65RWR6B	747115441334	6.5 WB. RPM.	\$3,349
MBT0IN653WR8B	747115441372	6.5-300 WB. MAG.	\$3,349
MBT0IN653WL8B	747115441402	(LH) 6.5-300 WB. MAG.	\$3,449
MBT0IN270WR8B	747115441365	.270 WB. MAG.	\$3,349
MBT0IN280AR6B	747115441341	280 ACKLEY IMP.	\$3,349
MBT0IN7MMWR8B	747115441389	7MM WB. MAG.	\$3,349
MBT0IN300WR8B	747115441396	.300 WB. MAG.	\$3,349
MBT0IN300WL8B	747115441426	(LH) .300 WB. MAG.	\$3,449

Weight (lbs)	Overall Length	Mag Capacity	Barrel Length & Contour	Barrel Thread Pitch	Action / Barrel OAL	Twist Rate	Length of Pull	Drop @ Comb	Monte Carlo	Drop @ Heel
4.9	44.125"	4+1	22" #1 MOD	1/2-28	RH 24"	1-7.5"	13.5"	.625"	N/A	.325"
4.9	46.125"	5+1	24" #1 MOD	1/2-28	RH 26"	1-10"	13.5"	.625"	N/A	.325"
5.9	48.125"	3+1	26" #2 MOD	1/2-28	RH 28"	1-10"	13.5"	.625"	N/A	.325"
5.9	48.125"	4+1	26" #2 MOD	1/2-28	RH 28"	1-10"	13.5"	.625"	N/A	.325"
4.9	44.125"	4+1	22" #1 MOD	1/2-28	RH 24"	1-8"	13.5"	.625"	N/A	.325"
4.9	46.125"	4+1	24" #1 MOD	1/2-28	RH 26"	1-8"	13.5"	.625"	N/A	.325"
5.9	48.125"	3+1	26" #2 MOD	1/2-28	RH 28"	1-8"	13.5"	.625"	N/A	.325"
5.9	48.125"	3+1	26" #2 MOD	1/2-28	RH 28"	1-8"	13.5"	.625"	N/A	.325"
5.9	48.125"	3+1	26" #2 MOD	1/2-28	RH 28"	1-10"	13.5"	.625"	N/A	.325"
4.9	46.125"	4+1	24" #1 MOD	1/2-28	RH 26"	1-9"	13.5"	.625"	N/A	.325"
5.9	48.125"	3+1	26" #2 MOD	1/2-28	RH 28"	1-10"	13.5"	.625"	N/A	.325"
5.9	48.125"	3+1	26" #2 MOD	1/2-28	RH 28"	1-10"	13.5"	.625"	N/A	.325"

MARK V® CAMILLA™ DELUXE

PRODUCT CODE	UPC	CALIBER	MSRP
MCD0IN6MCMR4B	747115441570	6MM CREEDMOOR	\$2,399
MCD0IN243NR4B	747115441563	.243 WIN	\$2,399
MCD0IN240WR6B	747115441587	.240 WB. MAG.	\$2,399
MCD0IN65CMR4B	747115441594	6.5 CREEDMOOR	\$2,399
MCD0IN65RWR6B	747115441600	6.5 WB. RPM	\$2,399
MCD0IN280AR6B	747115441617	280 ACKLEY IMP	\$2,399

Weight (lbs)	Overall Length	Mag Capacity	Barrel Length & Contour	Barrel Thread Pitch	Action / Barrel OAL	Twist Rate	Length of Pull	Drop @ Comb	Monte Carlo	Drop @ Heel
6.5	43 1/4"	4+1	22" #1	1/2-28	RH 24"	1-7.5"	13"	.875"	.75"	1.25"
6.5	43 1/4"	4+1	22" #1	1/2-28	RH 24"	1-7.5"	13"	.875"	.75"	1.25"
6.6	45 1/4"	4+1	24" #1	1/2-28	RH 26"	1-10"	13"	.875"	.75"	1.25"
6.5	43 1/4"	3+1	22" #1	1/2-28	RH 24"	1-8"	13"	.875"	.75"	1.25"
6.6	45 1/4"	4+1	24" #1	1/2-28	RH 26"	1-8"	13"	.875"	.75"	1.25"
6.5	45 1/4"	4+1	24" #1	1/2-28	RH 26"	1-9"	13"	.875"	.75"	1.25"

MARK V® CAMILLA ULTRA LIGHTWEIGHT

PRODUCT CODE	UPC	CALIBER	MSRP
MCU0IN6MCMR4B	747115441631	6MM CREEDMOOR	\$1,999
MCU0IN243NR4B	747115441624	.243 WIN	\$1,999
MCU0IN240WR6B	747115441648	.240 WB. MAG.	\$1,999
MCU0IN65CMR4B	747115441655	6.5 CREEDMOOR	\$1,999
MCU0IN65RWR6B	747115441662	6.5 WB. RPM	\$1,999
MCU0IN280AR6B	747115441679	280 ACKLEY IMP	\$1,999

Weight (lbs)	Overall Length	Mag Capacity	Barrel Length & Contour	Barrel Thread Pitch	Action / Barrel OAL	Twist Rate	Length of Pull	Drop @ Comb	Monte Carlo	Drop @ Heel
5.8	43 1/4"	4+1	22" #1	1/2-28	RH 24"	1-7.5"	13"	.875"	.75"	1.25"
5.8	43 1/4"	4+1	22" #1	1/2-28	RH 24"	1-7.5"	13"	.875"	.75"	1.25"
5.9	45 1/4"	4+1	24" #1	1/2-28	RH 26"	1-10"	13"	.875"	.75"	1.25"
5.8	43 1/4"	3+1	22" #1	1/2-28	RH 24"	1-8"	13"	.875"	.75"	1.25"
5.9	45 1/4"	4+1	24" #1	1/2-28	RH 26"	1-8"	13"	.875"	.75"	1.25"
5.8	45 1/4"	4+1	24" #1	1/2-28	RH 26"	1-9"	13"	.875"	.75"	1.25"

MARK V® CARBONMARK

PRODUCT CODE	UPC	CALIBER	MSRP
MCM0IN65CMR4B	747115441877	6.5 CREEDMOOR	\$2,499
MCM0IN65RWR6B	747115441884	6.5 WB. RPM	\$2,499
MCM0IN257WR8B	747115441891	.257 WB. MAG	\$2,499
MCM0IN257WL8B	747115441921	(LH) .257 WB. MAG	\$2,599
MCM0IN653WR8B	747115441907	6.5-300 WB. MAG	\$2,499
MCM0IN653WL8B	747115441938	(LH) 6.5-300 WB. MAG	\$2,599
MCM0IN300WR8B	747115441914	.300 WB. MAG	\$2,499
MCM0IN300WL8B	747115441945	(LH) .300 WB. MAG	\$2,599

Weight	Overall Length	Mag Capacity	Barrel Length & Contour	Barrel Thread Pitch	Action / Barrel OAL	Twist Rate	Length of Pull	Drop @ Comb	Monte Carlo	Drop @ Heel
6.9	44 1/4"	4+1	22" #4	5/8-24	RH 24"	1-8"	13.625"	.875"	.625"	1.75"
7	46.25"	4+1	24" #4	5/8-24	RH 26"	1-8"	13.625"	.875"	.625"	1.75"
8	48.25"	3+1	26" #4	5/8-24	RH 28"	1-10"	13.625"	.875"	.625"	1.75"
8	48.25"	3+1	26" #4	5/8-24	RH 28"	1-10"	13.625"	.875"	.625"	1.75"
8	48.25"	3+1	26" #4	5/8-24	RH 28"	1-8"	13.625"	.875"	.625"	1.75"
8	48.25"	3+1	26" #4	5/8-24	RH 28"	1-8"	13.625"	.875"	.625"	1.75"
8	48.25"	3+1	26" #4	5/8-24	RH 28"	1-10"	13.625"	.875"	.625"	1.75"
8	48.25"	3+1	26" #4	5/8-24	RH 28"	1-10"	13.625"	.875"	.625"	1.75"

MARK V® CARBONMARK PRO

PRODUCT CODE	UPC	CALIBER	MSRP
MCP0IN65CMR4B	747115440788	6.5 CREEDMOOR	\$2,999
MCP0IN65RWR6B	747115440795	6.5 WB. RPM	\$2,999
MCP0IN257WR8B	747115440801	.257 WB. MAG	\$2,999
MCP0IN257WL8B	747115440832	(LH) .257 WB. MAG	\$3,099
MCP0IN653WR8B	747115440818	6.5-300 WB. MAG	\$2,999
MCP0IN653WL8B	747115440849	(LH) 6.5-300 WB. MAG	\$3,099
MCP0IN300WR8B	747115440825	.300 WB. MAG	\$2,999
MCP0IN300WL8B	747115440856	(LH) .300 WB. MAG	\$3,099

Weight (lbs)	Overall Length	Mag Capacity	Barrel Length & Contour	Barrel Thread Pitch	Action / Barrel OAL	Twist Rate	Length of Pull	Drop @ Comb	Monte Carlo	Drop @ Heel
6.6	44 1/4"	4+1	22" #4	5/8-24	RH 24"	1-8"	13.625"	2"	N/A	2"
6.7	46 1/4"	4+1	24" #4	5/8-24	RH 26"	1-8"	13.625"	2"	N/A	2"
7.5	46 1/4"	3+1	26" #4	5/8-24	RH 28"	1-10"	13.625"	2"	N/A	2"
7.5	46 1/4"	3+1	26" #4	5/8-24	RH 28"	1-10"	13.625"	2"	N/A	2"
7.5	46 1/4"	3+1	26" #4	5/8-24	RH 28"	1-8"	13.625"	2"	N/A	2"
7.5	46 1/4"	3+1	26" #4	5/8-24	RH 28"	1-8"	13.625"	2"	N/A	2"
7.5	46 1/4"	3+1	26" #4	5/8-24	RH 28"	1-10"	13.625"	2"	N/A	2"
7.5	46 1/4"	3+1	26" #4	5/8-24	RH 28"	1-10"	13.625"	2"	N/A	2"

MARK V® CARBONMARK ELITE

PRODUCT CODE	UPC	CALIBER	MSRP
MCE0IN65CMR4B	747115441792	6.5 CREEDMOOR	\$3,299
MCE0IN65RWR6B	747115441808	6.5 WB. RPM	\$3,299
MCE0IN257WR8B	747115441815	.257 WB. MAG	\$3,299
MCE0IN257WL8B	747115441846	(LH) .257 WB. MAG	\$3,399
MCE0IN653WR8B	747115441822	6.5-300 WB. MAG	\$3,299
MCE0IN653WL8B	747115441853	(LH) 6.5-300 WB. MAG	\$3,399
MCE0IN300WR8B	747115441839	.300 WB. MAG	\$3,299
MCE0IN300WL8B	747115441860	(LH) .300 WB. MAG	\$3,399

Weight	Overall Length	Mag Capacity	Barrel Length & Contour	Barrel Thread Pitch	Action / Barrel OAL	Twist Rate	Length of Pull	Drop @ Comb	Monte Carlo	Drop @ Heel
7.1	44.25"	4+1	22" #4	5/8-24	RH 24"	1-8"	13.625"	2"	N/A	2"
7.2	46.25"	4+1	24" #4	5/8-24	RH 26"	1-8"	13.625"	2"	N/A	2"
8.4	48.25"	3+1	26" #4	5/8-24	RH 28"	1-10"	13.625"	2"	N/A	2"
8.4	48.25"	3+1	26" #4	5/8-24	RH 28"	1-10"	13.625"	2"	N/A	2"
8.4	48.25"	3+1	26" #4	5/8-24	RH 28"	1-8"	13.625"	2"	N/A	2"
8.4	48.25"	3+1	26" #4	5/8-24	RH 28"	1-8"	13.625"	2"	N/A	2"
8.4	48.25"	3+1	26" #4	5/8-24	RH 28"	1-10"	13.625"	2"	N/A	2"
8.4	48.25"	3+1	26" #4	5/8-24	RH 28"	1-10"	13.625"	2"	N/A	2"

MARK V® DANGEROUS GAME RIFLE (DGR)

PRODUCT CODE	UPC	CALIBER	MSRP
MDG0IN300WR6B	747115441686	.300 WB. MAG.	\$3,200
MDG0IN340WR6B	747115441693	.340 WB. MAG.	\$3,200
MDG0IN375HR6B	747115441709	.375 H&H	\$3,400
MDG0IN375WR6B	747115441716	.375 WB. MAG.	\$3,400
MDG0IN378WR6B			

MARK V® DELUXE

PRODUCT CODE	UPC	CALIBER	MSRP
MDX01N243NR20	747115440863	.243 WIN.	\$2,349
MDX01N240WR40	747115440870	.240 WB.Y. MAG.	\$2,349
MDX01N257WR60	747115440900	.257 WB.Y. MAG.	\$2,349
MDX01N65CMR20	747115440887	6.5 CREEDMOOR	\$2,349
MDX01N65RWR40	747115440894	6.5 WB.Y. RPM.	\$2,349
MDX01N653WR60	747115440924	6.5-300 WB.Y. MAG.	\$2,349
MDX01N270WR60	747115440917	.270 WB.Y. MAG.	\$2,349
MDX01N7MMWR60	747115440931	7MM WB.Y. MAG.	\$2,349
MDX01N300WR60	747115440948	.300 WB.Y. MAG.	\$2,349
MDX01N303WR8B	747115440955	.30-.378 WB.Y. MAG.	\$2,699
MDX01N333WR8B	747115440962	.338-.378 WB.Y. MAG.	\$2,699
MDX01N340WR8B	747115440979	.340 WB.Y. MAG.	\$2,349
MDX01N378WR8B	747115440986	.378 WB.Y. MAG.	\$2,699
MDX01N416WR8B	747115440993	.416 WB.Y. MAG.	\$2,699
MDX01N460WR8B	747115441006	.460 WB.Y. MAG.	\$2,699

Weight	Overall Length	Mag Capacity	Barrel Length & Contour	Barrel Thread Pitch	Action / Barrel OAL	Twist Rate	Length of Pull	Drop @ Comb	Monte Carlo	Drop @ Heel
7	42 3/4"	4+1	22" #1	1/2-28	RH 22"	1-7.5"	13.5"	.875"	.375	1.625"
7.1	44 3/4"	4+1	24" #1	1/2-28	RH 24"	1-10"	13.5"	.875"	.375	1.625"
8.2	46 3/4"	3+1	24" #1	1/2-28	RH 24"	1-10"	13.5"	.875"	.375	1.625"
7	44 3/4"	4+1	22" #1	1/2-28	RH 22"	1-8"	13.5"	.875"	.375	1.625"
7.1	44 3/4"	4+1	24" #1	1/2-28	RH 24"	1-8"	13.5"	.875"	.375	1.625"
8.2	46 3/4"	3+1	26" #2	1/2-28	RH 26"	1-8"	13.5"	.875"	.375	1.625"
8.2	46 3/4"	3+1	26" #2	1/2-28	RH 26"	1-10"	13.5"	.875"	.375	1.625"
8.2	46 3/4"	3+1	26" #2	1/2-28	RH 26"	1-10"	13.5"	.875"	.375	1.625"
8.25	48 3/4"	2+1	26" #3	5/8-24	RH 28"	1-10"	13.5"	.875"	.375	1.625"
8.25	48 3/4"	2+1	26" #3	5/8-24	RH 28"	1-10"	13.5"	.875"	.375	1.625"
8.25	48 3/4"	2+1	26" #3	5/8-24	RH 28"	1-10"	13.5"	.875"	.375	1.625"
8.25	48 3/4"	2+1	26" #3	5/8-24	RH 28"	1-12"	13.5"	.875"	.375	1.625"
8.25	48 3/4"	2+1	26" #3	5/8-24	RH 28"	1-14"	13.5"	.875"	.375	1.625"
8.25	48 3/4"	2+1	26" #4	11/16-24	RH 28"	1-16"	13.5"	.875"	.375	1.625"

MARK V® WEATHERMARK LT

PRODUCT CODE	UPC	CALIBER	MSRP
MWLOIN6MCMR4B	747115440665	6MM CREEDMOOR	\$1,899
MWLOIN240WR6B	747115440672	.240 WB.Y. MAG.	\$1,899
MWLOIN257WR8B	747115440689	.257 WB.Y. MAG.	\$1,899
MWLOIN257WL8B	747115440757	(LH).257 WB.Y. M	\$1,999
MWLOIN65CMR4B	747115440696	6.5 CREEDMOOR	\$1,899
MWLOIN65RWR6B	747115440702	6.5 WB.Y. RPM.	\$1,899
MWLOIN653WR8B	747115440726	6.5-300 WB.Y. MAG.	\$1,899
MWLOIN653WL8B	747115440764	(LH) 6.5-300 WB.Y. M	\$1,999
MWLOIN270WR8B	747115440719	.270 WB.Y. MAG.	\$1,899
MWLOIN7MMWR8B	747115440733	7MM WB.Y. MAG.	\$1,899
MWLOIN300WR8B	747115440740	.300 WB.Y. MAG.	\$1,899
MWLOIN300WL8B	747115440771	(LH).300 WB.Y. M	\$1,999

Weight	Overall Length	Mag Capacity	Barrel Length & Contour	Barrel Thread Pitch	Action / Barrel OAL	Twist Rate	Length of Pull	Drop @ Comb	Monte Carlo	Drop @ Heel
5.8	44.625"	4+1	22" #1 MOD	1/2 - 28	RH 24"	1-7.5"	13.625"	.875"	.625"	1.625"
5.9	46.625"	4+1	24" #1 MOD	1/2 - 28	RH 26"	1-10"	13.625"	.875"	.625"	1.625"
7.2	48.625"	3+1	26" #2 MOD	1/2 - 28	RH 28"	1-10"	13.625"	.875"	.625"	1.625"
7.2	48.625"	3+1	26" #2 MOD	1/2 - 28	LH 28"	1-10"	13.625"	.875"	.625"	1.625"
5.8	44.625"	4+1	22" #1 MOD	1/2 - 28	RH 24"	1-8"	13.625"	.875"	.625"	1.625"
5.9	46.625"	4+1	24" #1 MOD	1/2 - 28	RH 26"	1-8"	13.625"	.875"	.625"	1.625"
7.2	48.625"	3+1	26" #2 MOD	1/2 - 28	RH 28"	1-8"	13.625"	.875"	.625"	1.625"
7.2	48.625"	3+1	26" #2 MOD	1/2 - 28	LH 28"	1-8"	13.625"	.875"	.625"	1.625"
7.2	48.625"	3+1	26" #2 MOD	1/2 - 28	RH 28"	1-10"	13.625"	.875"	.625"	1.625"
7.2	48.625"	3+1	26" #2 MOD	1/2 - 28	LH 28"	1-10"	13.625"	.875"	.625"	1.625"
7.2	48.625"	3+1	26" #2 MOD	1/2 - 28	RH 28"	1-10"	13.625"	.875"	.625"	1.625"
7.2	48.625"	3+1	26" #2 MOD	1/2 - 28	LH 28"	1-10"	13.625"	.875"	.625"	1.625"

MARK V® WEATHERMARK™

PRODUCT CODE	UPC	CALIBER	MSRP
MWM01N6MCMR2T	747115441020	6MM CREEDMOOR	\$1,499
MWM01N243NR2T	747115441013	.243 WIN.	\$1,499
MWM01N240WR4T	747115441037	.240 WB.Y. MAG.	\$1,499
MWM01N257WR6T	747115441068	.257 WB.Y. MAG.	\$1,499
MWM01N65CMR2T	747115441044	6.5 CREEDMOOR	\$1,499
MWM01N65RWR4T	747115441051	6.5 WB.Y. RPM.	\$1,499
MWM01N653WR6T	747115441082	6.5-300 WB.Y. MAG.	\$1,499
MWM01N270WR6T	747115441075	.270 WB.Y. MAG.	\$1,499
MWM01N7MMWR6T	747115441099	7MM WB.Y. MAG.	\$1,499
MWM01N300WR6T	747115441105	.300 WB.Y. MAG.	\$1,499
MWM01N303WR8B	747115441112	.30-.378 WB.Y. MAG.	\$1,599
MWM01N340WR6T	747115441129	.340 WB.Y. MAG.	\$1,499
MWM01N333WR8B	747115441136	.338-.378 WB.Y. MAG.	\$1,599

Weight	Overall Length	Mag Capacity	Barrel Length & Contour	Barrel Thread Pitch	Action / Barrel OAL	Twist Rate	Length of Pull	Drop @ Comb	Monte Carlo	Drop @ Heel
6.1 LBS.	42.5"	4+1	22" #1	1/2-28	RH 22"	1-7.5"	13.625"	.875"	.625"	1.625"
6.1 LBS.	42.5"	4+1	22" #1	1/2-28	RH 22"	1-7.5"	13.625"	.875"	.625"	1.625"
6.25 LBS.	44.5"	4+1	24" #1	1/2-28	RH 24"	1-10"	13.625"	.875"	.625"	1.625"
7.75 LBS.	46.5"	3+1	26" #2	1/2-28	RH 26"	1-10"	13.625"	.875"	.625"	1.625"
6.1 LBS.	42.5"	4+1	22" #1	1/2-28	RH 22"	1-8"	13.625"	.875"	.625"	1.625"
6.25 LBS.	44.5"	4+1	24" #1	1/2-28	RH 24"	1-8"	13.625"	.875"	.625"	1.625"
7.75 LBS.	46.5"	3+1	26" #2	1/2-28	RH 26"	1-8"	13.625"	.875"	.625"	1.625"
7.75 LBS.	46.5"	3+1	26" #2	1/2-28	RH 26"	1-10"	13.625"	.875"	.625"	1.625"
6.25 LBS.	44.5"	4+1	24" #1	1/2-28	RH 24"	1-10"	13.625"	.875"	.625"	1.625"
7.75 LBS.	46.5"	3+1	26" #2	1/2-28	RH 26"	1-10"	13.625"	.875"	.625"	1.625"
7.75 LBS.	46.5"	3+1	26" #2	1/2-28	RH 26"	1-10"	13.625"	.875"	.625"	1.625"
8 LBS.	48.5"	2+1	26" #3	5/8-24	RH 28"	1-10"	13.625"	.875"	.625"	1.625"
7.75 LBS.	46.5"	3+1	26" #2	1/2-28	RH 26"	1-10"	13.625"	.875"	.625"	1.625"
8 LBS.	48.5"	2+1	26" #3	5/8-24	RH 28"	1-10"	13.625"	.875"	.625"	1.625"

VANGUARD® ACCUGUARD™

PRODUCT CODE	UPC	CALIBER	MSRP
VCC240WR40	747115424955	.240 WB.Y.	\$999
VCC257WR60	747115431069	.257 WB.Y. MAG.	\$999
VCC653WR60	747115431090	6.5-300 WB.Y. MAG.	\$999
VCC306SR40	747115427307	30-06 SPRG.	\$999
VCC300NR60	747115431076	300 WIN. MAG.	\$999
VCC300WR60	747115431083	300 WB.Y. MAG.	\$999

Weight	Overall Length	Mag Capacity	Barrel Length & Contour	Action / Barrel OAL	Twist Rate	Length of Pull	Drop @ Comb	Monte Carlo	Drop @ Heel
8 LBS.	44 1/2"	5+1	24" #3	RH 24"	1-10"	13 3/4"	3/4"	5/8"	1 3/4"
8 LBS.	46 1/2"	3+1	26" #3	RH 26"	1-10"	13 3/4"	3/4"	5/8"	1 3/4"
8 LBS.	46 1/2"	3+1	26" #3	RH 26"	1-8"	13 3/4"	3/4"	5/8"	1 3/4"
8 LBS.	44 1/2"	5+1	24" #3	RH 24"	1-10"	13 3/4"	3/4"	5/8"	1 3/4"
8 LBS.	46 1/2"	3+1	26" #3	RH 26"	1-10"	13 3/4"	3/4"	5/8"	1 3/4"
8 LBS.	46 1/2"	3+1	26" #3	RH 26"	1-10"	13 3/4"	3/4"	5/8"	1 3/4"

VANGUARD BACKCOUNTRY™

PRODUCT CODE	UPC	CALIBER	MSRP
VBK240WR40	747115423125	.240 WB.Y. MAG.	\$1,099
VBK257WR60	747115431366	.257 WB.Y. MAG.	\$1,099
VBK65CMR40	747115436071	6.5 CREEDMOOR	\$1,099
VBK270NR40	747115423149	.270 WIN.	\$1,099
VBK306SR40	747115423156	30-06 SPRG.	\$1,099
VBK300NR60	747115431373	300 WIN. MAG.	\$1,099
VBK300WR60	747115431380	300 WB.Y. MAG.	\$1,099

Weight	Overall Length	Mag Capacity	Barrel Length & Contour	Action / Barrel OAL	Twist Rate	Length of Pull	Drop @ Comb	Monte Carlo	Drop @ Heel
6.75 LBS.	44 3/4"	5+1	24" #2	RH 24"	1-10"	13 3/4"	7/8"	3/4"	1 3/4"
6.75 LBS.	46 1/2"	3+1	26" #2	RH 26"	1-10"	13 3/4"	7/8"	3/4"	1 3/4"
6.5 LBS.	44 3/4"	5+1	24" #2	RH 24"	1-10"	13 3/4"	7/8"	3/4"	1 3/4"
6.75 LBS.	44 3/4"	5+1	24" #2	RH 24"	1-10"	13 3/4"	7/8"	3/4"	1 3/4"
6.75 LBS.	44 3/4"	5+1	24" #2	RH 24"	1-10"	13 3/4"	7/8"	3/4"	1 3/4"
6.75 LBS.	46 1/2"	3+1	26" #2	RH 26"	1-10"	13 3/4"	7/8"	3/4"	1 3/4"
6.75 LBS.	46 1/2"	3+1	26" #2	RH 26"	1-10"	13 3/4"	7/8"	3/4"	1 3/4"

MARK V® WEATHERMARK™ BRONZE

PRODUCT CODE	UPC	CALIBER	MSRP
MWB01N6MCMR2T	747115441150	6MM CREEDMOOR	\$1,499
MWB01N243NR2T	747115441143	.243 WIN.	\$1,499
MWB01N240WR4T	747115441167	.240 WB.Y. MAG.	\$1,499
MWB01N257WR6T	747115441198	.257 WB.Y. MAG.	\$1,499
MWB01N65CMR2T	747115441174	6.5 CREEDMOOR	\$1,499
MWB01N65RWR4T	747115441181	6.5 WB.Y. RPM.	\$1,499
MWB01N653WR6T	747115441211	6.5-300 WB.Y. MAG.	\$1,499
MWB01N270WR6T	747115441204	.270 WB.Y. MAG.	\$1,499
MWB01N7MMWR6T	747115441228	7MM WB.Y. MAG.	\$1,499
MWB01N300WR6T	747115441235	.300 WB.Y. MAG.	\$1,499
MWB01N303WR8B	747115441242	.30-.378 WB.Y. MAG.	\$1,599
MWB01N340WR6T	747115441259	.340 WB.Y. MAG.	\$1,499
MWB01N333WR8B	747115441266	.338-.378 WB.Y. MAG.	\$1,599

Weight	Overall Length	Mag Capacity	Barrel Length & Contour	Barrel Thread Pitch	Action / Barrel OAL	Twist Rate	Length of Pull	Drop @ Comb	Monte Carlo	Drop @ Heel
6.1 LBS.	42.5"	4+1	22" #1	1/2-28	RH 22"	1-7.5"	13.625"	.875"	.625"	1.625"
6.1 LBS.	42.5"	4+1	22" #1	1/2-28	RH 22"	1-7.5"	13.625"	.875"	.625"	1.625"
6.25 LBS.	44.5"	4+1	24" #1	1/2-28	RH 24"	1-10"	13.625"	.875"	.625"	1.625"
7.75 LBS.	46.5"	3+1	26" #2	1/2-28	RH 26"	1-10"	13.625"	.875"	.625"	1.625"
6.1 LBS.	42.5"	4+1	22" #1	1/2-28	RH 22"	1-8"	13.625"	.875"	.625"	1.625"
6.25 LBS.	44.5"	4+1	24" #1	1/2-28	RH 24"	1-8"	13.625"	.875"	.625"	1.625"
7.75 LBS.	46.5"	3+1	26" #2	1/2-28	RH 26"	1-8"	13.625"	.875"	.625"	1.625"
7.75 LBS.	46.5"	3+1	26" #2	1/2-28	RH 26"	1-10"	13.625"	.875"	.625"	1.625"
7.75 LBS.	46.5"	3+1	26" #2	1/2-28	RH 26"	1-10"	13.625"	.875"	.625"	1.625"
8 LBS.	48.5"	2+1	26" #3	5/8-24	RH 28"					

VANGUARD® CAMILLA™

PRODUCT CODE	UPC	CALIBER	MSRP
VWR243NR00	747115427376	.243 WIN.	\$749
VWR65CMR00	747115431557	6.5 CREEDMOOR	\$749
VWR7MBRR00	747115427390	7MM-08 REM.	\$749
VWR308NR00	747115427383	.308 WIN.	\$749

Weight	Overall Length	Mag Capacity	Barrel Length & Contour	Action / Barrel OAL	Twist Rate	Length of Pull	Drop @ Comb	Monte Carlo	Drop @ Heel
6.5 LBS.	39 1/2"	5+1	20" #1	RH 20"	1-10"	13"	7/8"	3/4"	2 1/4"
6.5 LBS.	39 1/2"	4+1	20" #1	RH 20"	1-8"	13"	7/8"	3/4"	2 1/4"
6.5 LBS.	39 1/2"	5+1	20" #1	RH 20"	1-9.5"	13"	7/8"	3/4"	2 1/4"
6.5 LBS.	39 1/2"	5+1	20" #1	RH 20"	1-10"	13"	7/8"	3/4"	2 1/4"

VANGUARD® CAMILLA WILDERNESS™

PRODUCT CODE	UPC	CALIBER	MSRP
VWC243NR00	747115437191	.243 WIN.	\$849
VWC65CMR00	747115437207	6.5 CREEDMOOR	\$849
VWC7MBRR00	747115437214	7MM-08 REM.	\$849
VWC308NR00	747115437221	.308 WIN.	\$849

Weight	Overall Length	Mag Capacity	Barrel Length & Contour	Action / Barrel OAL	Twist Rate	Length of Pull	Drop @ Comb	Monte Carlo	Drop @ Heel
7 LBS.	39 1/2"	5+1	20" #1	RH 20"	1-10"	13"	7/8"	3/4"	2 1/4"
7 LBS.	39 1/2"	4+1	20" #1	RH 20"	1-8"	13"	7/8"	3/4"	2 1/4"
7 LBS.	39 1/2"	5+1	20" #1	RH 20"	1-9.5"	13"	7/8"	3/4"	2 1/4"
7 LBS.	39 1/2"	5+1	20" #1	RH 20"	1-10"	13"	7/8"	3/4"	2 1/4"

VANGUARD® DANGEROUS GAME RIFLE (DGR)

PRODUCT CODE	UPC	CALIBER	MSRP
VGR375HR40S	747115430123	.375 H&H	\$1,149

Weight	Overall Length	Mag Capacity	Barrel Length & Contour	Action / Barrel OAL	Twist Rate	Length of Pull	Drop @ Comb	Monte Carlo	Drop @ Heel
7.75 LBS.	44 1/2"	3+1	24" #2.5	RH 24"	1-12"	13 5/8"	3/4"	5/8"	1 1/4"

VANGUARD® DELUXE

PRODUCT CODE	UPC	CALIBER	MSRP
VGX257WR60	747115431298	.257 WBY. MAG.	\$1,049
VGX270NR40	747115414192	.270 WIN.	\$1,049
VGX306SR40	747115595372	30-06 SPRG.	\$1,049
VGX300WR60	747115431311	.300 WBY. MAG.	\$1,049

Weight	Overall Length	Mag Capacity	Barrel Length & Contour	Action / Barrel OAL	Twist Rate	Length of Pull	Drop @ Comb	Monte Carlo	Drop @ Heel
7.5 LBS.	46 1/2"	3+1	26" #2	RH 26"	1-10"	13 1/4"	3/4"	3/8"	1 1/4"
7.5 LBS.	44 1/2"	5+1	24" #2	RH 24"	1-10"	13 1/4"	3/4"	3/8"	1 1/4"
7.5 LBS.	44 1/2"	5+1	24" #2	RH 24"	1-10"	13 1/4"	3/4"	3/8"	1 1/4"
7.5 LBS.	46 1/2"	3+1	26" #2	RH 26"	1-10"	13 1/4"	3/4"	3/8"	1 1/4"

VANGUARD® FIRST LITE

PRODUCT CODE	UPC	CALIBER	MSRP
VFN240WR6B*	747115434763	.240 WBY. MAG.	\$999
VFN256RR6B*	747115434770	.25-06 REM.	\$999
VFN257WR8B*	747115434787	.257 WBY. MAG.	\$999
VFN65CMR6B*	747115435753	6.5 CREEDMOOR	\$999
VFN653WR8B*	747115434794	6.5-300 WBY. MAG.	\$999
VFN270NR6B*	747115434800	.270 WIN.	\$999
VFN308NR6B*	747115434817	.308 WIN.	\$999
VFN306SR6B*	747115434824	30-06 SPRG.	\$999
VFN300NR8B*	747115434831	.300 WIN. MAG.	\$999
VFN300WR8B*	747115434848	.300 WBY. MAG.	\$999

Weight	Overall Length	Mag Capacity	Barrel Length & Contour	Action / Barrel OAL	Twist Rate	Length of Pull	Drop @ Comb	Monte Carlo	Drop @ Heel
7.25 LBS.	46 1/2"	5+1	24" #2	RH 26"	1-10"	13 1/2"	3/4"	1/2"	1 1/4"
7.25 LBS.	46 1/2"	5+1	24" #2	RH 26"	1-10"	13 1/2"	3/4"	1/2"	1 1/4"
7.25 LBS.	48 1/2"	3+1	26" #2	RH 28"	1-10"	13 1/2"	3/4"	1/2"	1 1/4"
7.15 LBS.	46"	4+1	24" #2	RH 26"	1-8"	13 1/2"	3/4"	1/2"	1 1/4"
7.25 LBS.	48 1/2"	3+1	26" #2	RH 28"	1-8"	13 1/2"	3/4"	1/2"	1 1/4"
7.25 LBS.	46 1/2"	5+1	24" #2	RH 26"	1-10"	13 1/2"	3/4"	1/2"	1 1/4"
7.15 LBS.	46"	5+1	24" #2	RH 26"	1-10"	13 1/2"	3/4"	1/2"	1 1/4"
7.25 LBS.	46 1/2"	5+1	24" #2	RH 26"	1-10"	13 1/2"	3/4"	1/2"	1 1/4"
7.25 LBS.	48 1/2"	3+1	26" #2	RH 28"	1-10"	13 1/2"	3/4"	1/2"	1 1/4"
7.25 LBS.	48 1/2"	3+1	26" #2	RH 28"	1-10"	13 1/2"	3/4"	1/2"	1 1/4"

*AccuBrake ST™ installed

VANGUARD® LAMINATE SPORTER

PRODUCT CODE	UPC	CALIBER	MSRP
VLM223RR40	747115442683	.223 REM.	\$749
VLM222RR40	747115442690	.22-250 REM.	\$749
VLM243NR40	747115442706	.243 WIN.	\$749
VLM240WR40	747115442713	.240 WBY. MAG.	\$749
VLM256RR40	747115442720	.25-06 REM.	\$749
VLM257WR60	747115442737	.257 WBY. MAG.	\$749
VLM65CMR40	747115442744	6.5 CREEDMOOR	\$749
VLM270NR40	747115442751	.270 WIN.	\$749
VLM7MBRR40	747115442768	7MM-08 REM.	\$749
VLM7MMRR60	747115442775	7MM REM. MAG.	\$749
VLM308NR40	747115442782	.308 WIN.	\$749
VLM306SR40	747115442799	30-06 SPRG.	\$749
VLM300NR60	747115442805	.300 WIN. MAG.	\$749
VLM300WR60	747115442812	.300 WBY. MAG.	\$749

Weight	Overall Length	Mag Capacity	Barrel Length & Contour	Action / Barrel OAL	Twist Rate	Length of Pull	Drop @ Comb	Monte Carlo	Drop @ Heel
7.25 LBS.	44"	5+1	24" #2	RH 24"	1-9"	13 1/2"	3/4"	1/2"	1 1/4"
7.25 LBS.	44"	5+1	24" #2	RH 24"	1-14"	13 1/2"	3/4"	1/2"	1 1/4"
7.25 LBS.	44"	5+1	24" #2	RH 24"	1-10"	13 1/2"	3/4"	1/2"	1 1/4"
7.25 LBS.	44"	5+1	24" #2	RH 24"	1-10"	13 1/2"	3/4"	1/2"	1 1/4"
7.25 LBS.	44 1/2"	5+1	24" #2	RH 24"	1-10"	13 1/2"	3/4"	1/2"	1 1/4"
7.5 LBS.	46 1/2"	3+1	26" #2	RH 26"	1-10"	13 1/2"	3/4"	1/2"	1 1/4"
7.25 LBS.	44"	4+1	24" #2	RH 24"	1-8"	13 1/2"	3/4"	1/2"	1 1/4"
7.5 LBS.	44 1/2"	5+1	24" #2	RH 24"	1-10"	13 1/2"	3/4"	1/2"	1 1/4"
7.25 LBS.	44"	5+1	24" #2	RH 24"	1-9.5"	13 1/2"	3/4"	1/2"	1 1/4"
7.5 LBS.	46 1/2"	3+1	26" #2	RH 26"	1-9.5"	13 1/2"	3/4"	1/2"	1 1/4"
7.25 LBS.	44"	5+1	24" #2	RH 24"	1-10"	13 1/2"	3/4"	1/2"	1 1/4"
7.25 LBS.	44 1/2"	5+1	24" #2	RH 24"	1-10"	13 1/2"	3/4"	1/2"	1 1/4"
7.5 LBS.	46 1/2"	3+1	26" #2	RH 26"	1-10"	13 1/2"	3/4"	1/2"	1 1/4"
7.5 LBS.	46 1/2"	3+1	26" #2	RH 26"	1-10"	13 1/2"	3/4"	1/2"	1 1/4"

VANGUARD® LAZERGUARD

PRODUCT CODE	UPC	CALIBER	MSRP
VGZ257WR60	747115431236	.257 WBY. MAG.	\$1,099
VGZ270NR40	747115436101	.270 WIN. MAG.	\$1,099
VGZ300NR60	747115436095	.300 WIN. MAG.	\$1,099
VGZ308NR40	747115424672	.308 WIN.	\$1,099
VGZ306SR40	747115420506	30-06 SPRG.	\$1,099
VGZ300WR60	747115431243	.300 WBY. MAG.	\$1,099

Weight	Overall Length	Mag Capacity	Barrel Length & Contour	Action / Barrel OAL	Twist Rate	Length of Pull	Drop @ Comb	Monte Carlo	Drop @ Heel
7.5 LBS.	46 1/2"	3+1	26" #2	RH 26"	1-10"	13 1/4"	3/4"	3/8"	1 1/4"
7.5 LBS.	44 1/2"	3+1	24" #2	RH 24"	1-10"	13 1/4"	3/4"	3/8"	1 1/4"
7.5 LBS.	46 1/2"	3+1	26" #2	RH 26"	1-10"	13 1/4"	3/4"	3/8"	1 1/4"
7.5 LBS.	44"	5+1	24" #2	RH 24"	1-10"	13 1/4"	3/4"	3/8"	1 1/4"
7.5 LBS.	44 1/2"	5+1	24" #2	RH 24"	1-10"	13 1/4"	3/4"	3/8"	1 1/4"
7.5 LBS.	46 1/2"	3+1	26" #2	RH 26"	1-10"	13 1/4"	3/4"	3/8"	1 1/4"

VANGUARD® MULTICAM

PRODUCT CODE	UPC	CALIBER	MSRP
VMC243NR4T	747115442515	.243 WIN.	\$849
VMC240WR4T	747115442522	.240 WBY. MAG.	\$849
VMC256RR4T	747115442539	.25-06 REM.	\$849
VMC257WR6T	747115442546	.257 WBY. MAG.	\$849
VMC65CMR4T	747115442553	6.5 CREEDMOOR	\$849
VMC653WR6T	747115442560	6.5-300 WBY. MAG.	\$849
VMC270NR4T	747115442577	.270 WIN.	\$849
VMC7MBRR4T	747115442584	7MM-08 REM.	\$849
VMC7MMRR6T	747115442591	7MM REM. MAG.	\$849
VMC308NR4T	747115442607	.308 WIN.	\$849
VMC306SR4T	747115442614	30-06 SPRG.	\$849
VMC300NR6T	747115442621	.300 WIN. MAG.	\$849
VMC300WR6T	747115442638	.300 WBY. MAG.	\$849

Weight	Overall Length	Mag Capacity	Barrel Length & Contour	Action / Barrel OAL	Twist Rate	Length of Pull	Drop @ Comb	Monte Carlo	Drop @ Heel
7.25 LBS.	44"	5+1	24" #2	RH 24"	1-10"	13 1/2"	3/4"	1/2"	1 1/4"
7.5 LBS.	44"	5+1	24" #2	RH 24"	1-10"	13 1/2"	3/4"	1/2"	1 1/4"
7.5 LBS.	44 1/2"	5+1	24" #2	RH 24"	1-10"	13 1/2"	3/4"	1/2"	1 1/4"
7.5 LBS.	46 1/2"	3+1	26" #2	RH 26"	1-10"	13 1/2"	3/4"	1/2"	1 1/4"
7.25 LBS.	44"	4+1	24" #2	RH 24"	1-8"	13 1/2"	3/4"	1/2"	1 1/4"
7.5 LBS.	46 1/2"	3+1	26" #2	RH 26"	1-8"	13 1/2"	3/4"	1/2"	1 1/4"
7.5 LBS.	44 1/2"	5+1	24" #2	RH 24"	1-10"	13 1/2"	3/4"	1/2"	1 1/4"
7.25 LBS.	44"	5+1	24" #2	RH 24"	1-9.5"	13 1/2"	3/4"	1/2"	1 1/4"
7.5 LBS.	46 1/2"	3+1	26" #2	RH 26"	1-9.5"	13 1/2"	3/4"	1/2"	1 1/4"
7.25 LBS.	44"	5+1	24" #2	RH 24"	1-10"	13 1/2"	3/4"	1/2"	1 1/4"
7.5 LBS.	46 1/2"	3+1	26" #2	RH 26"	1-10"	13 1/2"	3/4"	1/2"	1 1/4"
7.5 LBS.	46 1/2"	3+1	26" #2	RH 26"	1-10"	13 1/2"	3/4"	1/2"	1 1/4"

VANGUARD® SAFARI

PRODUCT CODE	UPC	CALIBER	MSRP
VSJ306SR4O	747115433506	.30-06 SPRG.	\$1,199
VSJ300WR4O	747115436040	.300 WBY. MAG.	\$1,199
VSJ375HR4OS	747115432912	.375 H&H	\$1,399

Weight	Overall Length	Mag Capacity	Barrel Length & Contour	Action / Barrel OAL	Twist Rate	Length of Pull	Drop @ Comb	Monte Carlo	Drop @ Heel
7.5 LBS.	44 ¼"	5+1	24" #2	RH 24"	1-10"	13 ½"	3/4"	1/2"	1 ¼"
7.5 LBS.	44 ¼"	3+1	24" #2	RH 24"	1-10"	13 ½"	3/4"	1/2"	1 ¼"
7.5 LBS.	44 ¼"	3+1	24" #2.5	RH 24"	1-12"	13 ½"	3/4"	1/2"	1 ¼"

VANGUARD® STAINLESS SYNTHETIC

PRODUCT CODE	UPC	CALIBER	MSRP
VGS243NR4O	747115431199	.243 WIN.	\$749
VGS257WR6O	747115408306	.257 WBY. MAG.	\$749
VGS7MMRR6O	747115431229	7MM REM. MAG.	\$749
VGS270NR4O	747115408405	.270 WIN.	\$749
VGS308NR4O	747115408313	.308 WIN.	\$749
VGS306SR4O	747115408412	.30-06 SPRG.	\$749
VGS300NR6O	747115431205	.300 WIN. MAG.	\$749
VGS300WR6O	747115431212	.300 WBY. MAG.	\$749

Weight	Overall Length	Mag Capacity	Barrel Length & Contour	Action / Barrel OAL	Twist Rate	Length of Pull	Drop @ Comb	Monte Carlo	Drop @ Heel
7.5 LBS.	44"	5+1	24" #2	RH 24"	1-10"	13 ½"	3/4"	1/2"	1 ¼"
7.5 LBS.	46 ½"	3+1	26" #2	RH 26"	1-10"	13 ½"	3/4"	1/2"	1 ¼"
7.5 LBS.	46 ½"	3+1	26" #2	RH 26"	1-9.5"	13 ½"	3/4"	1/2"	1 ¼"
7.5 LBS.	44 ½"	5+1	24" #2	RH 24"	1-10"	13 ½"	3/4"	1/2"	1 ¼"
7.5 LBS.	44"	5+1	24" #2	RH 24"	1-10"	13 ½"	3/4"	1/2"	1 ¼"
7.5 LBS.	44 ½"	5+1	24" #2	RH 24"	1-10"	13 ½"	3/4"	1/2"	1 ¼"
7.5 LBS.	46 ½"	3+1	26" #2	RH 26"	1-10"	13 ½"	3/4"	1/2"	1 ¼"
7.5 LBS.	46 ½"	3+1	26" #2	RH 26"	1-10"	13 ½"	3/4"	1/2"	1 ¼"

VANGUARD® SELECT

PRODUCT CODE	UPC	CALIBER	MSRP
VSE243NR4O	747115426720	.243 WIN.	\$549
VSE65CMR4O	747115436132	6.5 CREEDMOOR	\$549
VSE270NR4O	747115426737	.270 WIN.	\$549
VSE7MMRR6O	747115431175	7MM REM. MAG.	\$549
VSE308NR4O	747115426751	.308 WIN.	\$549
VSE306SR4O	747115426744	.30-06 SPRG.	\$549
VSE300NR6O	747115431182	.300 WIN. MAG.	\$549

Weight	Overall Length	Mag Capacity	Barrel Length & Contour	Action / Barrel OAL	Twist Rate	Length of Pull	Drop @ Comb	Monte Carlo	Drop @ Heel
7.25 LBS.	44"	5+1	24" #2	RH 24"	1-10"	13 ½"	3/4"	1/2"	1 ¼"
7.25 LBS.	44"	5+1	24" #2	RH 24"	1-8"	13 ½"	3/4"	1/2"	1 ¼"
7.5 LBS.	44 ½"	5+1	24" #2	RH 24"	1-10"	13 ½"	3/4"	1/2"	1 ¼"
7.5 LBS.	46 ½"	3+1	26" #2	RH 26"	1-9.5"	13 ½"	3/4"	1/2"	1 ¼"
7.25 LBS.	44"	5+1	24" #2	RH 24"	1-10"	13 ½"	3/4"	1/2"	1 ¼"
7.5 LBS.	44 ½"	5+1	24" #2	RH 24"	1-10"	13 ½"	3/4"	1/2"	1 ¼"
7.5 LBS.	46 ½"	3+1	26" #2	RH 26"	1-10"	13 ½"	3/4"	1/2"	1 ¼"

VANGUARD® SYNTHETIC

PRODUCT CODE	UPC	CALIBER	MSRP
VGT223RR4O	747115420308	.223 REM.	\$599
VGT222RR4O	747115420292	.22-250 REM.	\$599
VGT243NR4O	747115420315	.243 WIN.	\$599
VGT240WR4O	747115420827	.240 WBY. MAG.	\$599
VGT256RR4O	747115420322	.25-06 REM.	\$599
VGT257WR6O	747115431014	.257 WBY. MAG.	\$599
VGT65CMR4O	747115424009	6.5 CREEDMOOR	\$599
VGT653WR6O	747115431045	6.5-300 WBY. MAG.	\$599
VGT270NR4O	747115420346	.270 WIN.	\$599
VGT7MBRR4O	747115420421	7MM-08 REM.	\$599
VGT7MMRR6O	747115431052	7MM REM. MAG.	\$599
VGT308NR4O	747115420407	.308 WIN.	\$599
VGT306SR4O	747115420391	.30-06 SPRG.	\$599
VGT300NR6O	747115431021	.300 WIN. MAG.	\$599
VGT300WR6O	747115431038	.300 WBY. MAG.	\$599
VGT375HR4OS	747115425754	.375 H&H	\$599

Weight	Overall Length	Mag Capacity	Barrel Length & Contour	Action / Barrel OAL	Twist Rate	Length of Pull	Drop @ Comb	Monte Carlo	Drop @ Heel
7.5 LBS.	44"	5+1	24" #2	RH 24"	1-9"	13 ½"	3/4"	1/2"	1 ¼"
7.5 LBS.	44"	5+1	24" #2	RH 24"	1-14"	13 ½"	3/4"	1/2"	1 ¼"
7.5 LBS.	44"	5+1	24" #2	RH 24"	1-10"	13 ½"	3/4"	1/2"	1 ¼"
7.5 LBS.	44"	5+1	24" #2	RH 24"	1-10"	13 ½"	3/4"	1/2"	1 ¼"
7.5 LBS.	44 ½"	5+1	24" #2	RH 24"	1-10"	13 ½"	3/4"	1/2"	1 ¼"
7.5 LBS.	46 ½"	3+1	26" #2	RH 26"	1-10"	13 ½"	3/4"	1/2"	1 ¼"
7.5 LBS.	44"	4+1	24" #2	RH 24"	1-8"	13 ½"	3/4"	1/2"	1 ¼"
7.5 LBS.	46 ½"	3+1	26" #2	RH 26"	1-8"	13 ½"	3/4"	1/2"	1 ¼"
7.5 LBS.	44 ½"	5+1	24" #2	RH 24"	1-10"	13 ½"	3/4"	1/2"	1 ¼"
7.5 LBS.	44"	5+1	24" #2	RH 24"	1-9.5"	13 ½"	3/4"	1/2"	1 ¼"
7.5 LBS.	46 ½"	3+1	26" #2	RH 26"	1-9.5"	13 ½"	3/4"	1/2"	1 ¼"
7.5 LBS.	44"	5+1	24" #2	RH 24"	1-10"	13 ½"	3/4"	1/2"	1 ¼"
7.5 LBS.	44 ½"	5+1	24" #2	RH 24"	1-10"	13 ½"	3/4"	1/2"	1 ¼"
7.5 LBS.	46 ½"	3+1	26" #2	RH 26"	1-10"	13 ½"	3/4"	1/2"	1 ¼"
7.5 LBS.	46 ½"	3+1	26" #2	RH 26"	1-10"	13 ½"	3/4"	1/2"	1 ¼"
8 LBS.	44 ½"	3+1	24" #2.5	RH 24"	1-12"	13 ½"	3/4"	1/2"	1 ¼"

VANGUARD® SPORTER

PRODUCT CODE	UPC	CALIBER	MSRP
VDT223RR4O	747115421039	.223 REM.	\$749
VDT257WR6O	747115431250	.257 WBY. MAG.	\$749
VDT222RR4O	747115421022	.22-250 REM.	\$749
VDT7MMRR6O	747115431281	7MM REM. MAG.	\$749
VDT243NR4O	747115421046	.243 WIN.	\$749
VDT256RR4O	747115420445	.25-06 REM.	\$749
VDT65CMR4O	747115438426	6.5 CREEDMOOR	\$749
VDT270NR4O	747115420452	.270 WIN.	\$749
VDT7MBRR4O	747115421060	7MM-08 REM.	\$749
VDT308NR4O	747115421053	.308 WIN.	\$749
VDT306SR4O	747115420469	.30-06 SPRG.	\$749
VDT300NR6O	747115431267	.300 WIN. MAG.	\$749
VDT300WR6O	747115431274	.300 WBY. MAG.	\$749

Weight	Overall Length	Mag Capacity	Barrel Length & Contour	Action / Barrel OAL	Twist Rate	Length of Pull	Drop @ Comb	Monte Carlo	Drop @ Heel
7.5 LBS.	44"	5+1	24" #2	RH 24"	1-9"	13 ½"	3/4"	3/8"	1 ¼"
7.5 LBS.	46 ½"	3+1	26" #2	RH 26"	1-10"	13 ½"	3/4"	3/8"	1 ¼"
7.5 LBS.	44"	5+1	24" #2	RH 24"	1-14"	13 ½"	3/4"	3/8"	1 ¼"
7.5 LBS.	46 ½"	3+1	26" #2	RH 26"	1-9.5"	13 ½"	3/4"	3/8"	1 ¼"
7.5 LBS.	44"	5+1	24" #2	RH 24"	1-10"	13 ½"	3/4"	3/8"	1 ¼"
7.5 LBS.	44 ½"	5+1	24" #2	RH 24"	1-10"	13 ½"	3/4"	3/8"	1 ¼"
7.5 LBS.	44"	5+1	24" #2	RH 24"	1-8"	13 ½"	3/4"	3/8"	1 ¼"
7.5 LBS.	44 ½"	5+1	24" #2	RH 24"	1-10"	13 ½"	3/4"	3/8"	1 ¼"
7.5 LBS.	44"	5+1	24" #2	RH 24"	1-9.5"	13 ½"	3/4"	3/8"	1 ¼"
7.5 LBS.	44"	5+1	24" #2	RH 24"	1-10"	13 ½"	3/4"	3/8"	1 ¼"
7.5 LBS.	44 ½"	5+1	24" #2	RH 24"	1-10"	13 ½"	3/4"	3/8"	1 ¼"
7.5 LBS.	46 ½"	3+1	26" #2	RH 26"	1-10"	13 ½"	3/4"	3/8"	1 ¼"
7.5 LBS.	46 ½"	3+1	26" #2	RH 26"	1-10"	13 ½"	3/4"	3/8"	1 ¼"

VANGUARD® SYNTHETIC COMPACT

PRODUCT CODE	UPC	CALIBER	MSRP
VYT243NR0O	747115420902	.243 WIN.	\$549
VYT65CMR0O	747115431564	6.5 CREEDMOOR	\$549
VYT7MBRR0O	747115420926	7MM-08 REM.	\$549
VYT308NR0O	747115420919	.308 WIN.	\$549

Weight	Overall Length	Mag Capacity	Barrel Length & Contour	Action / Barrel OAL	Twist Rate	Length of Pull	Drop @ Comb	Monte Carlo	Drop @ Heel
6.5 LBS.	39" - 40"	5+1	20" #1	RH 20"	1-10"	12 ½" - 13 ½"	3/4"	5/8"	1 ¼" - 1 ½"
6.5 LBS.	39" - 40"	4+1	20" #1	RH 20"	1-8"	12 ½" - 13 ½"	3/4"	5/8"	1 ¼" - 1 ½"
6.5 LBS.	39" - 40"	5+1	20" #1	RH 20"	1-9.5"	12 ½" - 13 ½"	3/4"	5/8"	1 ¼" - 1 ½"
6.5 LBS.	39" - 40"	5+1	20" #1	RH 20"	1-10"	12 ½" - 13 ½"	3/4"	5/8"	1 ¼" - 1 ½"

VANGUARD® WEATHERGUARD

PRODUCT CODE	UPC	CALIBER	MSRP
VTG223RR4O	747115427413	.223 REM.	\$649
VTG222RR4O	747115427406	.22-250 REM.	\$649
VTG243NR4O	747115427437	.243 WIN.	\$649
VTG240WR4O	747115427420	.240 WB.Y. MAG.	\$649
VTG256RR4O	747115427444	.25-06 REM.	\$649
VTG257WR6O	747115431328	.257 WB.Y. MAG.	\$649
VTG65CMR4O	747115427529	6.5 CREEDMOOR	\$649
VTG270NR4O	747115427468	.270 WIN.	\$649
VTG7M8RR4O	747115427536	7MM-08 REM.	\$649
VTG7MMR6O	747115431359	7MM REM. MAG.	\$649
VTG308NR4O	747115427505	.308 WIN.	\$649
VTG306SR4O	747115427499	.30-06 SPRG.	\$649
VTG300NR6O	747115431335	.300 WIN. MAG.	\$649
VTG300WR6O	747115431342	.300 WB.Y. MAG.	\$649

Weight	Overall Length	Mag Capacity	Barrel Length & Contour	Action / Barrel OAL	Twist Rate	Length of Pull	Drop @ Comb	Monte Carlo	Drop @ Heel
7.25 LBS.	44"	5+1	24" #2	RH 24"	1-9"	13 1/2"	3/4"	1/2"	1 1/4"
7.25 LBS.	44"	5+1	24" #2	RH 24"	1-14"	13 1/2"	3/4"	1/2"	1 1/4"
7.25 LBS.	44"	5+1	24" #2	RH 24"	1-10"	13 1/2"	3/4"	1/2"	1 1/4"
7.5 LBS.	44"	5+1	24" #2	RH 24"	1-10"	13 1/2"	3/4"	1/2"	1 1/4"
7.5 LBS.	44 1/2"	5+1	24" #2	RH 24"	1-10"	13 1/2"	3/4"	1/2"	1 1/4"
7.5 LBS.	46 1/2"	3+1	26" #2	RH 26"	1-10"	13 1/2"	3/4"	1/2"	1 1/4"
7.25 LBS.	44"	4+1	24" #2	RH 24"	1-8"	13 1/2"	3/4"	1/2"	1 1/4"
7.5 LBS.	44 1/2"	5+1	24" #2	RH 24"	1-10"	13 1/2"	3/4"	1/2"	1 1/4"
7.25 LBS.	44"	5+1	24" #2	RH 24"	1-9.5"	13 1/2"	3/4"	1/2"	1 1/4"
7.5 LBS.	46 1/2"	3+1	26" #2	RH 26"	1-9.5"	13 1/2"	3/4"	1/2"	1 1/4"
7.25 LBS.	44"	5+1	24" #2	RH 24"	1-10"	13 1/2"	3/4"	1/2"	1 1/4"
7.5 LBS.	44 1/2"	5+1	24" #2	RH 24"	1-10"	13 1/2"	3/4"	1/2"	1 1/4"
7.5 LBS.	46 1/2"	3+1	26" #2	RH 26"	1-10"	13 1/2"	3/4"	1/2"	1 1/4"
7.5 LBS.	46 1/2"	3+1	26" #2	RH 26"	1-10"	13 1/2"	3/4"	1/2"	1 1/4"

VANGUARD® WEATHERGUARD BRONZE

PRODUCT CODE	UPC	CALIBER	MSRP
VVB223RR4T	747115442843	.223 REM.	\$699
VVB222RR4T	747115442850	.22-250 REM.	\$699
VVB243NR4T	747115442867	.243 WIN.	\$699
VVB240WR4T	747115442874	.240 WB.Y. MAG.	\$699
VVB256RR4T	747115442881	.25-06 REM.	\$699
VVB257WR6T	747115442898	.257 WB.Y. MAG.	\$699
VVB65CMR4T	747115442904	6.5 CREEDMOOR	\$699
VVB653WR6T	747115443161	6.5-300 WB.Y.	\$699
VVB270NR4T	747115442911	.270 WIN.	\$699
VVB7M8RR4T	747115442928	7MM-08 REM.	\$699
VVB7MMR6T	747115442935	7MM REM. MAG.	\$699
VVB308NR4T	747115442942	.308 WIN.	\$699
VVB306SR4T	747115442959	.30-06 SPRG.	\$699
VVB300NR6T	747115442966	.300 WIN. MAG.	\$699
VVB300WR6T	747115442973	.300 WB.Y. MAG.	\$699

Weight	Overall Length	Mag Capacity	Barrel Length & Contour	Action / Barrel OAL	Twist Rate	Length of Pull	Drop @ Comb	Monte Carlo	Drop @ Heel
7.25 LBS.	44"	5+1	24" #2	RH 24"	1-9"	13 1/2"	3/4"	1/2"	1 1/4"
7.25 LBS.	44"	5+1	24" #2	RH 24"	1-14"	13 1/2"	3/4"	1/2"	1 1/4"
7.25 LBS.	44"	5+1	24" #2	RH 24"	1-10"	13 1/2"	3/4"	1/2"	1 1/4"
7.5 LBS.	44"	5+1	24" #2	RH 24"	1-10"	13 1/2"	3/4"	1/2"	1 1/4"
7.5 LBS.	44 1/2"	5+1	24" #2	RH 24"	1-10"	13 1/2"	3/4"	1/2"	1 1/4"
7.5 LBS.	46 1/2"	3+1	26" #2	RH 26"	1-10"	13 1/2"	3/4"	1/2"	1 1/4"
7.25 LBS.	44"	4+1	24" #2	RH 24"	1-8"	13 1/2"	3/4"	1/2"	1 1/4"
7.5 LBS.	44 1/2"	5+1	24" #2	RH 24"	1-10"	13 1/2"	3/4"	1/2"	1 1/4"
7.25 LBS.	44"	5+1	24" #2	RH 24"	1-9.5"	13 1/2"	3/4"	1/2"	1 1/4"
7.5 LBS.	46 1/2"	3+1	26" #2	RH 26"	1-9.5"	13 1/2"	3/4"	1/2"	1 1/4"
7.25 LBS.	44"	5+1	24" #2	RH 24"	1-10"	13 1/2"	3/4"	1/2"	1 1/4"
7.5 LBS.	44 1/2"	5+1	24" #2	RH 24"	1-10"	13 1/2"	3/4"	1/2"	1 1/4"
7.5 LBS.	46 1/2"	3+1	26" #2	RH 26"	1-10"	13 1/2"	3/4"	1/2"	1 1/4"
7.5 LBS.	46 1/2"	3+1	26" #2	RH 26"	1-10"	13 1/2"	3/4"	1/2"	1 1/4"

VANGUARD® WILDERNESS

PRODUCT CODE	UPC	CALIBER	MSRP
VLE240WR4O	747115426980	.240 WB.Y. MAG.	\$899
VLE257WR6O	747115431144	.257 WB.Y. MAG.	\$899
VLE256RR4O	747115426997	.25-06 REM.	\$899
VLE65CMR4O	747115436149	6.5 CREEDMOOR	\$899
VLE653WR6O	747115433919	6.5-300 WB.Y. MAG.	\$899
VLE270NR4O	747115427017	.270 WIN.	\$899
VLE300NR6O	747115431151	.300 WIN. MAG.	\$899
VLE308NR4O	747115427055	.308 WIN.	\$899
VLE300WR6O	747115431168	.300 WB.Y. MAG.	\$899
VLE306SR4O	747115427048	.30-06 SPRG.	\$899

Weight	Overall Length	Mag Capacity	Barrel Length & Contour	Action / Barrel OAL	Twist Rate	Length of Pull	Drop @ Comb	Monte Carlo	Drop @ Heel
6.75 LBS.	44 1/2"	5+1	24" #2	RH 24"	1-10"	13 5/8"	7/8"	3/4"	1 1/4"
6.75 LBS.	46 1/2"	3+1	26" #2	RH 26"	1-10"	13 5/8"	7/8"	3/4"	1 1/4"
6.75 LBS.	44 1/2"	5+1	24" #2	RH 24"	1-10"	13 5/8"	7/8"	3/4"	1 1/4"
6.5 LBS.	44 1/2"	3+1	26" #2	RH 24"	1-8"	13 5/8"	7/8"	3/4"	1 1/4"
6.75 LBS.	46 1/2"	3+1	26" #2	RH 26"	1-8"	13 5/8"	7/8"	3/4"	1 1/4"
6.75 LBS.	44 1/2"	5+1	24" #2	RH 24"	1-10"	13 5/8"	7/8"	3/4"	1 1/4"
6.75 LBS.	46 1/2"	3+1	26" #2	RH 26"	1-10"	13 5/8"	7/8"	3/4"	1 1/4"
6.5 LBS.	44"	5+1	24" #2	RH 24"	1-10"	13 5/8"	7/8"	3/4"	1 1/4"
6.75 LBS.	46 1/2"	3+1	26" #2	RH 26"	1-10"	13 5/8"	7/8"	3/4"	1 1/4"
6.75 LBS.	44 1/2"	5+1	24" #2	RH 24"	1-10"	13 5/8"	7/8"	3/4"	1 1/4"

ORION® I

PRODUCT CODE	UPC	GAUGE	MSRP
OR11226RGG	747115425471	12 GAUGE	\$949
OR11228RGG	747115425488	12 GAUGE	\$949

Barrel Length	Chamber	Choke	Mag Capacity	Overall Length	LOP	Drop at Heel	Drop at Comb	Signs	Weight
26"	3"	IC,M,F	N/A	43 3/4"	14 5/8"	2 3/8"	1 5/8"	BRASS FRONT	7 LBS.
28"	3"	IC,M,F	N/A	45 3/4"	14 5/8"	2 3/8"	1 5/8"	BRASS FRONT	7 LBS.

ORION® SPORTING

PRODUCT CODE	UPC	GAUGE	MSRP
OSP1230PGG	747115433490	12 GAUGE	\$1,099

Barrel Length	Chamber	Choke	Mag Capacity	Overall Length	LOP	Drop at Heel	Drop at Comb	Signs	Weight
30"	3"	SK,IC,M,IM,F	N/A	47 3/4"	14 5/8"	2 3/8"	1 5/8" - 1 3/4"	FIBER OPTIC	7.5 LBS.

ELEMENT® SYNTHETIC

PRODUCT CODE	UPC	GAUGE	MSRP
ESN1226PGM	747115425242	12 GAUGE	\$549
ESN1228PGM	747115425235	12 GAUGE	\$549
ESN2026PGM	747115425266	20 GAUGE	\$549
ESN2028PGM	747115425259	20 GAUGE	\$549

Barrel Length	Chamber	Choke	Mag Capacity	Overall Length	LOP	Drop at Heel	Drop at Comb	Signs	Weight
26"	3"	IC,M,F,LRS	4+1	46 3/4"	14 5/8"	2 1/4"	1 5/8"	FIBER OPTIC FRONT	6.75 LBS.
28"	3"	IC,M,F,LRS	4+1	48 3/4"	14 5/8"	2 1/4"	1 5/8"	FIBER OPTIC FRONT	6.75 LBS.
26"	3"	IC,M,F	4+1	46 3/4"	14 5/8"	2 1/4"	1 5/8"	FIBER OPTIC FRONT	6.25 LBS.
28"	3"	IC,M,F	4+1	48 3/4"	14 5/8"	2 1/4"	1 5/8"	FIBER OPTIC FRONT	6.25 LBS.

ELEMENT® UPLAND

PRODUCT CODE	UPC	GAUGE	MSRP
EUP1226PGM	747115436927	12 GAUGE	\$699
EUP1228PGM	747115436934	12 GAUGE	\$699
EUP2026PGM	747115436941	20 GAUGE	\$699
EUP2028PGM	747115436958	20 GAUGE	\$699

Barrel Length	Chamber	Choke	Mag Capacity	Overall Length	LOP	Drop at Heel	Drop at Comb	Signs	Weight
26"	3"	IC, M, F	4+1	46 3/4"	14 5/8"	2 1/4"	1 5/8"	FIBER OPTIC FRONT	6.65 LBS.
28"	3"	IC, M, F	4+1	48 3/4"	14 5/8"	2 1/4"	1 5/8"	FIBER OPTIC FRONT	6.75 LBS.
26"	3"	IC, M, F	4+1	46 3/4"	14 5/8"	2 1/4"	1 5/8"	FIBER OPTIC FRONT	6.15 LBS.
28"	3"	IC, M, F	4+1	48 3/4"	14 5/8"	2 1/4"	1 5/8"	FIBER OPTIC FRONT	6.25 LBS.

ELEMENT® WATERFOWLER MAX-5

PRODUCT CODE	UPC	GAUGE	MSRP	Barrel Length	Chamber	Choke	Mag Capacity	Overall Length	LOP	Drop at Heel	Drop at Comb	Sights	Weight
EWFI226PGM	747115425280	12 GAUGE	\$699	26"	3"	IC,M,F,LRS	4+1	46 1/4"	14 1/8"	2 1/4"	1 1/2"	FIBER OPTIC FRONT	6.75 LBS.
EWFI228PGM	747115425273	12 GAUGE	\$699	28"	3"	IC,M,F,LRS	4+1	48 1/4"	14 1/8"	2 1/4"	1 1/2"	FIBER OPTIC FRONT	6.75 LBS.
EWF2026PGM	747115429622	20 GAUGE	\$699	26"	3"	IC,M,F	4+1	46 1/4"	14 1/8"	2 1/4"	1 1/2"	FIBER OPTIC FRONT	6.25 LBS.
EWF2028PGM	747115425297	20 GAUGE	\$699	28"	3"	IC,M,F	4+1	48 1/4"	14 1/8"	2 1/4"	1 1/2"	FIBER OPTIC FRONT	6.25 LBS.

SA-08® SYNTHETIC

PRODUCT CODE	UPC	GAUGE	MSRP	Barrel Length	Chamber	Choke	Mag Capacity	Overall Length	LOP	Drop at Heel	Drop at Comb	Sights	Weight
SA08SI226PGM	747115417377	12 GAUGE	\$499	26"	3"	IC,M,F	5+1	46"	14 3/8"	2 1/4"	1 1/2"	BRASS FRONT	6.5 LBS.
SA08SI228PGM	747115417384	12 GAUGE	\$499	28"	3"	IC,M,F	5+1	48"	14 3/8"	2 1/4"	1 1/2"	BRASS FRONT	6.5 LBS.
SA08S2026PGM	747115417407	20 GAUGE	\$499	26"	3"	IC,M,F	5+1	46"	14 3/8"	2 1/4"	1 1/2"	BRASS FRONT	6 LBS.
SA08S2028PGM	747115417414	20 GAUGE	\$499	28"	3"	IC,M,F	5+1	48"	14 3/8"	2 1/4"	1 1/2"	BRASS FRONT	6 LBS.

SA-08® SYNTHETIC COMPACT

PRODUCT CODE	UPC	GAUGE	MSRP	Barrel Length	Chamber	Choke	Mag Capacity	Overall Length	LOP	Drop at Heel	Drop at Comb	Sights	Weight
SA08SY2024PGM	747115419098	20 GAUGE	\$499	24"	3"	IC,M,F	5+1	43"	12 1/2"	2 1/4"	1 1/2"	BRASS FRONT	5.75 LBS.

SA-459® TURKEY XTRA GREEN

PRODUCT CODE	UPC	GAUGE	MSRP	Barrel Length	Chamber	Choke	Mag Capacity	Overall Length	LOP	Drop at Heel	Drop at Comb	Sights	Weight
SA459XGI222PGM	747115425785	12 GAUGE	\$649	22"	3"	XF	5+1	42"	13 1/2"	2 1/4"	N/A	FIBER OPTIC FRONT	6.75 LBS.
SA459XC2022PGM	747115425792	20 GAUGE	\$649	22"	3"	XF	5+1	42"	13 1/2"	2 1/4"	N/A	FIBER OPTIC FRONT	6.25 LBS.

18i® SYNTHETIC

PRODUCT CODE	UPC	GAUGE	MSRP	Barrel Length	Chamber	Choke	Mag Capacity	Overall Length	LOP	Drop at Heel	Drop at Comb (Dependent on Shim)	Sights	Weight
ISY1228SMG	747115436668	12 GAUGE	\$1,099	28"	3.5" SUPER MAGNUM	IC,IC,M,I,F	2+1	49-1/4"	14-1/3"	1-1/2"	1.9"/2.1"/2.3"/2.5"	LPA FIBER	7 LBS.

18i® DELUXE

PRODUCT CODE	UPC	GAUGE	MSRP	Barrel Length	Chamber	Choke	Mag Capacity	Overall Length	LOP	Drop at Heel	Drop at Comb (Dependent on Shim)	Sights	Weight
ID21228MAG	747115436606	12 GAUGE	\$1,899	28"	3" MAGNUM	IC,IC,M,I,F	2+1	49-1/4"	14-3/4"	1-1/2"	1.9"/2.3"/2.5"	LPA FIBER	7 LBS.
ID22026MAG	747115436644	20 GAUGE	\$1,899	26"	3" MAGNUM	IC,IC,M,I,F	2+1	47-1/2"	14-3/4"	1-1/2"	1.7"/1.9"/2.1"	LPA FIBER	6 LBS.
ID22028MAG	747115436637	20 GAUGE	\$1,899	28"	3" MAGNUM	IC,IC,M,I,F	2+1	49-1/2"	14-3/4"	1-1/2"	1.7"/1.9"/2.1"	LPA FIBER	6 LBS.

18i® WATERFOWLER REALTREE MAX-5

PRODUCT CODE	UPC	GAUGE	MSRP	Barrel Length	Chamber	Choke	Mag Capacity	Overall Length	LOP	Drop at Heel	Drop at Comb (Dependent on Shim)	Sights	Weight
IWR1228SMG	747115436712	12 GAUGE	\$1,199	28"	3.5" SUPER MAGNUM	IC,IC,M,I,F	2+1	49-1/4"	14-1/3"	1-1/2"	1.9"/2.1"/2.3"/2.5"	LPA FIBER	7 LBS.

18i® WATERFOWLER MOSSY OAK SHADOW GRASS BLADES

PRODUCT CODE	UPC	GAUGE	MSRP	Barrel Length	Chamber	Choke	Mag Capacity	Overall Length	LOP	Drop at Heel	Drop at Comb (Dependent on Shim)	Sights	Weight
IWM1228SMG	747115436729	12 GAUGE	\$1,199	28"	3.5" SUPER MAGNUM	IC,IC,M,I,F	2+1	49-1/4"	14-1/3"	1-1/2"	1.9"/2.1"/2.3"/2.5"	LPA FIBER	7 LBS.